



LED Urban TrueForce Lamps

40ED28/LED/727/ND 120-277V 4/1

Philips TrueForce LED high lumen post top lamp makes it easy to upgrade to long lasting, energy saving LED technology without sacrificing your site's unique outdoor character. Philips TrueForce is a direct replacement option which ensures a perfect fit with existing modern and traditional luminaires. We claim true replacement when comparing flux. This post top lamps can be used in enclosed fixtures.

Product data

General Information	
Base	E39 [Single Contact Mogul Screw]
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000X
Technical Type	40-100W
Light Technical	
Color Code	727 [CCT of 2700K]
Initial lumen (Nom)	5000 lm
Luminous Flux (Rated) (Nom)	5000 lm
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	125.00 lm/W
Color Consistency	ANSI
Color Rendering Index (Nom)	70
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	40 W
Lamp Current (Nom)	360 mA


Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120-277 V
Temperature	
T-Case Maximum (Nom)	80 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Product Data	
Order product name	40ED28/LED/727/ND 120-277V 4/1
EAN/UPC - Product	046677466633
Order code	466631
Numerator - Quantity Per Pack	1

LED Urban TrueForce Lamps

Numerator - Packs per outer box	4
Material Nr. (12NC)	929001281004
Net Weight (Piece)	0.882 kg

Model Number	9290012810
--------------	------------



Dimensional drawing




HL Bulb 40-100W 5000lm 2700K E39 ND 10KV

Product	D	C
40ED28/LED/727/ND 120-277V 4/1	105 mm	211 mm

Photometric data




High Intensity 40W E39 ED-28 Clear 2700K




High Intensity 40W E39 ED-28 Clear 3000K

LED Urban TrueForce Lamps

Lifetime



High Intensity 40W E39 ED-28 Clear 2700-4000K



High Intensity 40W E39 ED-28 Clear 2700-4000K

