



# CorePro LEDbulb

## CorePro LEDbulb D 11-75W A60 B22 827

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

### Product data

General Information	
Cap base	B22 [B22]
Nominal lifetime	15,000 h
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes

Light Technical	
Colour Code	822-827 [tunable warm white]
Beam angle (nom.)	200 degree(s)
Luminous Flux	1,055 lm
Colour designation	Warm White (WW)
Luminous efficacy (rated) (nom.)	95.00 lm/W
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz
Power Consumption	11 W
Lamp current (nom.)	65 mA
Wattage equivalent	75 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s

Power Factor (Fraction)	0.7
Voltage (nom.)	220-240 V

Temperature	
T-Case maximum (nom.)	90 °C

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60 mm]


Approval and Application	
Energy consumption kWh/1,000 hours	11 kWh

Product Data	
Order product name	CorePro LEDbulb D 11-75W A60 B22 827
Full product name	CorePro LEDbulb D 11-75W A60 B22 827
Full EOC	871869676276900
Order code	76276900
Material no. (12 NC)	929001353202
SAP numerator – quantity per pack	1
EAN/UPC – Product/Case	8718696762769
Numerator – packs per outer box	10

CorePro LEDbulb



EAN/UPC - Case	8718696762776
----------------	---------------

Dimensional drawing




Product	D	C
CorePro LEDbulb D 11-75W A60 B22 827	60 mm	110 mm

Photometric data



General uniform lighting - CorePro LEDbulb D 11-75W A60 B22 827

Spectral Power Distribution Colour - CorePro LEDbulb D 11-75W A60 B22 827



Light Distribution Diagram - CorePro LEDbulb D 11-75W A60 B22 827

CorePro LEDbulb

Lifetime



Life Expectancy Diagram - CorePro LEDbulb D 11-75W A60 B22 827



Lumen Maintenance Diagram - CorePro LEDbulb D 11-75W A60 B22 827

