



# Premium LED bulbs SceneSwitch

# SceneSwitch 3Step A60 9-60W E27 WG 120V

Some situations call for cool light, others benefit from the ambiance of a warm cozy glow. With Philips SceneSwitch LED bulbs, adapt your room ambiance to suit whatever you're doing, by changing the setting from cool day light to warm white, or dimming the brightness. All you need is your existing switch no extra installation is required.

### **Product data**

General Information		
Cap-Base	E27 [E27]	
Nominal lifetime	15,000 hour(s)	
Switching Cycle	100,000	
Lighting Technology	LED	
EU RoHS compliant	Yes	
Light Technical		
Color Code	827/825/822 [CCT of 2700K/2500K/2200K]	
Beam Angle (Nom)	300 degree(s)	
Color Designation	Warm/Extra Warm/Very Warm	
Luminous Efficacy (rated) (Nom)	88.00 lm/W	
Color Consistency	<6	
Color rendering index (CRI)	80	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	249W	

Lamp Current (Nom)	135 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.6
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	89 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]
Approval and Application	
Energy Consumption kWh/1000 h	- kWh


Datasheet, 2023, December 6 data subject to change

# **Premium LED bulbs SceneSwitch**

Product Data	
Order product name	SceneSwitch 3Step A60 9-60W E27 WG 120V
Full product name	SceneSwitch 3Step A60 9-60W E27 WG 120V
Full product code	871869679238400
Order code	929001373691
Material Nr. (12NC)	929001373691

Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696792384
Numerator - Packs per outer box	6
EAN/UPC - Case	8718696792391

## Dimensional drawing



Product	D	С
SceneSwitch 3Step A60 9-60W E27 WG 120V	61 mm	111 mm

