



# Classic filament LEDbulbs



## CLA LEDBulb ND 7-60W B22 WW ST64 CL

Featuring a classic heritage design, Classic filament LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

#### **Product data**

General Information	
Cap base	B22 [B22]
Nominal lifetime	15,000 h
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
EU RoHS compliant	Yes
Light Technical	
Colour Code	827 [CCT of 2700K]
Luminous Flux	806 lm
Colour designation	Warm White (WW)
Correlated Colour Temperature	2700 K
Luminous efficacy (rated) (nom.)	115.00 lm/W
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz

Input frequency	50 to 60 Hz
Power Consumption	7 W
Lamp current (nom.)	60 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (nom.)	220-240 V
Temperature	
T-Case maximum (nom.)	45 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Clear
Bulb shape	ST64


Datasheet, 2023, April 29 data subject to change

# **Classic filament LEDbulbs**

Approval and Application		
Energy Efficiency Class	E	
Energy consumption kWh/1,000 hours	7 kWh	
EPREL registration number	387393	
EyeComfort	Yes	
Product Data		
Order product name	CLA LEDBulb ND 7-60W B22 WW ST64 CL	
Full product name	CLA LEDBulb ND 7-60W B22 WW ST64 CL	


Full EOC	871869674279200
Order code	74279200
Material no. (12 NC)	929001387702
SAP numerator – quantity per pack	1
EAN/UPC — Product/Case	8718696742792
Numerator – packs per outer box	10
EAN/UPC - Case	8718696742808

# Dimensional drawing




Product	D	С
CLA LEDBulb ND 7-60W B22 WW ST64 CL	64 mm	138 mm

#### Photometric data








Spectral Power Distribution Colour - CLA LEDBulb ND 7-60W B22 WW ST64


## Classic filament LEDbulbs


#### Photometric data



Light Distribution Diagram - CLA LEDBulb ND 7-60W B22 WW ST64 CL

#### Lifetime





Life Expectancy Diagram - CLA LEDBulb ND 7-60W B22 WW ST64 CL

Lumen Maintenance Diagram - CLA LEDBulb ND 7-60W B22 WW ST64 CL



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.