



MASTER Value Decorative LED bulbs

CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL

The new collection of MASTER Value Decorative LED bulbs will transform any home. decorative LED bulbs are ideal for decorative lighting projects, they offer a perfect blend of (warm) white light and a minimalistic lighting experience. With a very long lifetime, up to 90% energy savings, no flickering and an instant full level brightness, you can enjoy soft and evenly distributed light. And thanks to the dimmable LED bulbs, you can dial it up or down to suit your mood. So, you can create a welcoming harmony in your space with decorative LED lamps that shine with trendy and stylish charm.

Product data


General Information		Operating and Electrical	
Cap-Base	E27 [E27]	Line Frequency	50 to 60 Hz
Nominal lifetime	15,000 hour(s)	Input Frequency	50 to 60 Hz
Switching Cycle	20,000	Power Consumption	5 W
Lighting Technology	LED	Lamp Current (Nom)	44 mA
EU RoHS compliant	Yes	Wattage Equivalent	25 W
		Starting Time (Nom)	0.5 s
		Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.4
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	820 [CCT of 2000K]	T-Case Maximum (Nom)	70 °C
Luminous Flux	250 lm		
Color Designation	Flame	Controls and Dimming	
Correlated Color Temperature (Nom)	2000 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	50.00 lm/W		
Color Consistency	<6		
Color rendering index (CRI)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

MASTER Value Decorative LED bulbs

Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	ST64
Approval and Application	
Energy Consumption kWh/1000 h	5 kWh
EyeComfort	Yes
Product Data	
Order product name	CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL
	CL



Full product name	CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL
Full product code	871869674413000
Order code	929001392002
Material Nr. (12NC)	929001392002
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696744130
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696744147

Dimensional drawing



Product	D	C
CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL	64 mm	143 mm

Photometric data




Calculat Photometric 4.5 Philips Lighting B.V. Page 1/1

Spectral Power Distribution Colour - CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL

General uniform lighting - CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL


MASTER Value Decorative LED bulbs

Photometric data



Light Distribution Diagram - CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL

Lifetime



Life Expectancy Diagram - CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL

Lumen Maintenance Diagram - CLA LEDBulb SP ND 5-25W E27 GOLD ST64 CL

