



Standard LED bulbs

LEDBulb 19W E27 6500K W A97 1PF/6 BR

Standard LED bulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize maintenance costs. The Standard LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and performance you expect from the LED technology at an affordable price.

Product data


General Information		Wattage Equivalent	
Cap-Base	E27 [E27]	140 W	
Nominal lifetime	25,000 hour(s)	Starting Time (Nom)	1 s
Switching Cycle	50,000	Warm-up time to 60% light	1 s
Lighting Technology	LED	Power Factor (Fraction)	0.7
EU RoHS compliant	Yes	Voltage (Nom)	127-220 V
Light Technical		Temperature	
Color Code	865 [CCT of 6500K]	T-Case Maximum (Nom)	80 °C
Beam Angle (Nom)	150 degree(s)	Controls and Dimming	
Luminous Flux	2,300 lm	Dimmable	No
Color Designation	Cool Daylight	Mechanical and Housing	
Correlated Color Temperature (Nom)	6500 K	Bulb Finish	Frosted
Luminous Efficacy (rated) (Nom)	121.00 lm/W	Bulb Shape	A97 [A 97mm]
Color Consistency	<6	Approval and Application	
Color rendering index (CRI)	80	Energy Consumption kWh/1000 h	- kWh
LLMF At End Of Nominal Lifetime (Nom)	70 %	Product Data	
Operating and Electrical		Order product name	LEDBulb 19W E27 6500K W A97 1PF/6 BR
Line Frequency	50 to 60 Hz	Full product name	LEDBulb 19W E27 6500K W A97 1PF/6 BR
Input Frequency	50 to 60 Hz		
Power Consumption	19 W		

Standard LED bulbs

Full product code	871869681573100
Order code	929001863292
Material Nr. (12NC)	929001863292
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696815731



Numerator - Packs per outer box	6
EAN/UPC - Case	8718696815748

Dimensional drawing




Product	D	C
LEDBulb 19W E27 6500K W A97 1PF/6 BR	98 mm	193 mm

Photometric data



General uniform lighting - LEDBulb 19W E27 6500K W A97 1PF/6 BR


Spectral Power Distribution Colour - LEDBulb 19W E27 6500K W A97 1PF/6 BR




Light Distribution Diagram - LEDBulb 19W E27 6500K W A97 1PF/6 BR

Standard LED bulbs

Lifetime



Lumen Maintenance Diagram - LEDBulb 19W E27 6500K W A97 1PF/6 BR



Life Expectancy Diagram - LEDBulb 19W E27 6500K W A97 1PF/6 BR

