



MASTER LEDspot LV

MAS LEDspotLV D 7-35W 927 MR16 24D

Delivering intense accent beam, MASTER LEDspot LV is an ideal retrofit solution for spot lighting. MASTER LEDspot LV is designed to replace halogen or incandescent spots. It realizes natural colors, enables cozy and comfortable ambience for residential, hospitality and emphasizes the beauty of merchandise in retail. New smaller housing provides perfect fitting with majority of luminaires in a market with a MR16 GU 5.3 holder. It not only employs Philips' patented solution to guarantee the broadest possible compatibility with standard 12V halogen electronic transformers, it also delivers high beam intensity which is equivalent to halogen MR16 spots. The dimming function enables to create the desired atmosphere and it works with broad selection of dimmers. Its high SDCM ensure stricter color consistency, that is maintained over product life. MASTER LEDspot LV delivers huge energy savings and minimizes maintenance cost without any compromise on light quality and lifetime, enabling residential and business owners to achieve a return on their investment within short period time.

Product data

General Information		Correlated Color Temperature (Nom)	
Cap-Base	GU5.3 [GU5.3]	Luminous Efficacy (rated) (Nom)	71.00 lm/W
Nominal lifetime	40,000 hour(s)	Color Consistency	<4
Switching Cycle	50,000	Color rendering index (CRI)	90
Lighting Technology	LED	LLMF At End Of Nominal Lifetime (Nom)	70 %
EU RoHS compliant	Yes	Operating and Electrical	
Light Technical		Line Frequency	- Hz
Color Code	927	Input Frequency	- Hz
Beam Angle (Nom)	24 degree(s)	Power Consumption	7 W
Luminous Flux	500 lm	Lamp Current (Nom)	830 mA
Luminous Intensity (Nom)	2,500 cd	Wattage Equivalent	35 W
Color Designation	Warm White (WW)	Starting Time (Nom)	0.5 s

MASTER LEDspot LV



Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	ac electronic 12 V
Temperature	
T-Case Maximum (Nom)	90 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Shape	MR16 [2inch/50mm]
Approval and Application	
Suitable For Accent Lighting	Yes

Energy Consumption kWh/1000 h	8 kWh
Product Data	
Order product name	MAS LEDspotLV D 7-35W 927 MR16 24D
Full product name	MAS LEDspotLV D 7-35W 927 MR16 24D
Full product code	871869681223500
Order code	929001879868
Material Nr. (12NC)	929001879868
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696812235
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696812242

Dimensional drawing

Product	D	C
MAS LEDspotLV D 7-35W 927 MR16 24D	50.5 mm	46.5 mm

Photometric data




Accent Lighting Spots - MAS LEDspotLV D 7-35W 927 MR16 24D

Light Distribution Diagram - MAS LEDspotLV D 7-35W 927 MR16 24D


MASTER LEDspot LV

Photometric data



Spectral Power Distribution Colour - MAS LEDspotLV D 7-35W 927 MR16 24D

Lifetime



Lumen Maintenance Diagram - MAS LEDspotLV D 7-35W 927 MR16 24D

Life Expectancy Diagram - MAS LEDspotLV D 7-35W 927 MR16 24D

