



CorePro LEDspot MV

Corepro LEDspot 670lm GU10 830 60D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	GU10 [GU10]
Nominal lifetime	25,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	60 degree(s)
Luminous Flux	670 lm
Luminous Intensity (Nom)	900 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	95.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	670 lm
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz

Power Consumption	7 W	
Lamp Current (Nom)	60 mA	
Wattage Equivalent	90 W	
Starting Time (Nom)	0.4 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.5	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	85 ℃	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Shape	PAR16 [PAR 2 inch/50mm]	
Approval and Application		
Suitable For Accent Lighting	Yes	
Energy Consumption kWh/1000 h	7 kWh	
Product Data		
Order product name	Corepro LEDspot 670lm GU10 830 60D	


Datasheet, 2023, April 29 data subject to change

CorePro LEDspot MV

Full product name	Corepro LEDspot 670lm GU10 830 60D
Full product code	871869681333100
Order code	81333100
Material Nr. (12NC)	929001895102
Numerator - Quantity Per Pack	1


EAN/UPC - Product/Case	8718696813331
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696813348

Dimensional drawing




Product	D	С
Corepro LEDspot 670lm GU10 830 60D	50 mm	54 mm

Photometric data








Light Distribution Diagram - Corepro LEDspot 670lm GU10 830 60D


Accent Lighting Spots - Corepro LEDspot 670lm GU10 830 60D




Spectral Power Distribution Colour - Corepro LEDspot 670lm GU10 830 60D

CorePro LEDspot MV

Lifetime





Life Expectancy Diagram - Corepro LEDspot 670lm GU10 830 60D

Lumen Maintenance Diagram - Corepro LEDspot 670lm GU10 830 60D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.