



TrueForce LED Public (Urban/Road – HPL/SON)

TrueForce LED HPL ND 42-33W E27 730 FR

Philips TrueForce LED lamps provide an easy LED solution with a fast payback to replace High-Intensity Discharge (HID) and High-Pressure Sodium (SON) lamps. These post-top lamps bring the energy efficiency and long lifetime benefits of LED-to-HID replacement, delivering instant savings for a low initial investment. With the right lamp size and light distribution, customers can easily retrofit TrueForce LED lamps into their existing HPL and SON system, thereby enhancing the light quality with LED HID, without having to change the fixtures or sacrifice the light effect.

Warnings and Safety

 $\cdot \ \text{Installation must always be performed by a qualified electrician or installer}. \ Use the installation guide for instructions$

Product data

General Information	
Cap base	E27 [E27]
Nominal lifetime	50,000 h
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Colour Code	730 [CCT of 3000K]
Beam angle (nom.)	360 degree(s)
Luminous Flux	4,200 lm
Colour designation	White (WH)

Correlated Colour Temperature	3000 K
Luminous efficacy (rated) (nom.)	127.00 lm/W
Colour consistency	<6
Colour rendering index (CRI)	70
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz
Power Consumption	33 W
Lamp current (nom.)	165 mA
Wattage equivalent	125 W


Datasheet, 2023, April 29 data subject to change

TrueForce LED Public (Urban/Road - HPL/SON)

Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.91
Voltage (nom.)	220-240 V
Temperature	
T-Case maximum (nom.)	80 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	Others


33 kWh
TForce LED HPL ND 42-33W E27 730 FR
TrueForce LED HPL ND 42-33W E27 730 FR
871869681101600
81101600
929001897702
1
8718696811016
6
8718696811023

Dimensional drawing




Product	D	С
TForce LED HPL ND 42-33W E27 730 FR	84 mm	178 mm

Photometric data




Light Distribution Diagram - TForce LED HPL ND 42-33W E27 730 FR



Spectral Power Distribution Colour - TForce LED HPL ND 42-33W E27 730 FR

TrueForce LED Public (Urban/Road - HPL/SON)


Photometric data




Calculat Photometria: 45 Philips Lighting RV. Pages 19

General uniform lighting - TForce LED HPL ND 42-33W E27 730 FR


Lifetime





Lumen Maintenance Diagram - TForce LED HPL ND 42-33W E27 730 FR

Life Expectancy Diagram - TForce LED HPL ND 42-33W E27 730 FR



Life Expectancy Diagram - TForce LED HPL ND 42-33W E27 730 FR

TrueForce LED Public (Urban/Road - HPL/SON)



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.