



LED Designer Deco

7.5A50/VIN/820/CL/G/D+CORD VIN


Philips LED Designer Deco lamps allow you to maintain a warm, classic light or a modern, chic effect while providing longer life and energy savings

Product data

General Information		Warm-up time to 60% light		0.5 s
Cap-Base	E26 [Single Contact Medium Screw]	Power Factor (Fraction)		0.7
Nominal lifetime	15,000 hour(s)	Voltage (Nom)		120 V
Switching Cycle	20,000	Temperature		
Rated Lifetime (Hours)	15,000 hour(s)	T-Case Maximum (Nom)		45 °C
Lighting Technology	LED	Controls and Dimming		
EU RoHS compliant	Yes	Dimmable		Yes
Light Technical		Mechanical and Housing		
Color Code	820 [CCT of 2000K]	Bulb Shape		A50 [A 50 inch]
Luminous Flux	400 lm	Approval and Application		
Color Designation	Flame	Energy Consumption kWh/1000 h		- kWh
Correlated Color Temperature (Nom)	2000 K	EyeComfort		Yes
Luminous Efficacy (rated) (Nom)	53.00 lm/W	Product Data		
Color Consistency	<6	Order product name		7.5A50/VIN/820/CL/G/D+CORD VIN
Color rendering index (CRI)	80	Full product name		7.5A50/VIN/820/CL/G/D+CORD VIN
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order code		929001936495
Operating and Electrical		Material Nr. (12NC)		929001936495
Line Frequency	50 to 60 Hz	Numerator - Quantity Per Pack		1
Input Frequency	50 to 60 Hz	EAN/UPC - Product/Case		046677539672
Power Consumption	7.5 W	Numerator - Packs per outer box		2
Lamp Current (Nom)	70 mA			
Wattage Equivalent	40 W			
Starting Time (Nom)	0.5 s			


EAN/UPC - Case	50046677539677
----------------	----------------

Dimensional drawing




Product	D	C
7.5A50/VIN/820/CL/G/D+CORD VIN	160 mm	292 mm

Photometric data



Spectral Power Distribution Colour - 7.5A50/VIN/820/CL/G/D+CORD VIN


Light Distribution Diagram - 7.5A50/VIN/820/CL/G/D+CORD VIN



General uniform lighting - 7.5A50/VIN/820/CL/G/D+CORD VIN

LED Designer Deco

Lifetime



Life Expectancy Diagram - 7.5A50/VIN/820/CL/G/D+CORD VIN

Lumen Maintenance Diagram - 7.5A50/VIN/820/CL/G/D+CORD VIN

