



TruGroove Suspended LED

TruGroove Suspended Direct LED, 3200 lm/4ft, 3000/3500/4000K Direct, Asymmetric MesoOptics Lens

TruGroove Suspended Direct LED, 3200 lm/4ft, 3000/3500/4000K Direct, Asymmetric MesoOptics Lens - 84 lm/W

TruGroove LED is driving performance beyond the edge. Innovative optics deliver exceptional uniformity and wide row spacing from a 3" aperture continuous line-of light. An extended family and refined design are perfect for lighting any professional space.

Product data

General Information	
Lamp Source Code	LED
Color Temperature	3000/3500/4000K
CRI	80
Photometric Distribution Type Direct	
Mounting	Suspended
Operating and Electrical	
Luminaire Input Watts	35.1
Voltages	120/277/347 V
Mechanical and Housing	
Shape	Linear
Initial Performance (IEC Compliant)	
Luminaire Lumens	3200

84 lm/W
TruGroove Suspended Direct LED, 3200 lm/4ft,
3000/3500/4000K Direct, Asymmetric MesoOptics Lens
2901LxEWN
2901LxEWN
TruGroove Suspended Direct LED, 3200 lm/4ft,
3000/3500/4000K Direct, Asymmetric MesoOptics Lens
-

Datasheet, 2018, May 9 data subject to change