



Capella LED Architectural Roadway medium (CPLM)

Capella Medium Version, 64 LED, Type III, Flat Lens,
house side shield

Capella Medium Version, 64 LED, Type III, Flat Lens, house side
shield - 83 lm/W

Respectful of the night sky with photometric performance at its finest. Inspired by the splendor of movement, the LED Capella is one of the most adaptable luminaires on the market. With its graceful curves and sweeping lines it contributes to the beautification of any environment and enhances the visual impact of any project. The Capella comes in two sizes to maximize its potential and appeal. The smaller version is perfect for lighting alleyways, pathways, sidewalks and small roadways while the larger version is ideal for city streets and boulevards. The two complement each other and can be used in tandem to add a measure of grace and fluidity to any area, big or small. [Lumec3D: Online 3D Configurator](http://www.lumec.com/Lumec3Dv2/home/index_en.php)

Product data

General Information	
Lamp Source Code	LED
Color Temperature	3000K
CRI	70
Photometric Distribution Type	Type III
Mounting	Pole Arm

Operating and Electrical	
Luminaire Input Watts	72
Voltages	120/208/240/277/347/480 V
Mechanical and Housing	
Shape	Oval

Capella LED Architectural Roadway medium (CPLM)

Initial Performance (IEC Compliant)

Luminaire Lumens	6018
Efficacy	83 lm/W

Product Data

Order product name	Capella Medium Version, 64 LED, Type III, Flat Lens, house side shield
Commercial Code	CPLM-70W64LED3K-G2-LE3F-HS

Order code	CPLM-70W64LED3K-G2-LE3F-HS
Catalog Number Description	Capella Medium Version, 64 LED, Type III, Flat Lens, house side shield
Service / Spec Smart	-
Material Nr. (12NC)	LUM70012458

