



# PL-C/T

## 5PL-C/LED/13H/840/IF5/P/2P 20/1

Philips PLED 4-pin & 2-pin lamps are an affordable LED solution to replace compact fluorescent lamps. The product provides a natural lighting effect for use in many lighting applications, and provides instant energy savings, making them an environmentally-friendly solution. Available as replacements for 13W, 26W and 32W compact fluorescent lamps.

### Product data

General Information		Lamp Current (Max)	
Cap-Base	GX23-2 [GX23-2]	Lamp Current (Max)	50 mA
Nominal lifetime	50,000 hour(s)	Lamp Current (Min)	15 mA
Switching Cycle	50,000	Wattage Equivalent	13 W
Lighting Technology	LED	Starting Time (Nom)	0.5 s
EU RoHS compliant	Yes	Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.9
		Voltage (Nom)	120-277 V
		UL Type	UL Type A
Light Technical		Temperature	
Color Code	840 [CCT of 4000K]	Ambient temperature range	-4 °F to 113 °F
Beam Angle (Nom)	150 degree(s)	T-Case Maximum (Nom)	158 °F
Luminous Flux	580 lm		
Color Designation	Cool White (CW)	Controls and Dimming	
Correlated Color Temperature (Nom)	4000 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	116.00 lm/W		
Color Consistency	<6	Mechanical and Housing	
Color rendering index (CRI)	82	Bulb Finish	Frosted
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Material	Plastic
		Product Length	4-13/16 inch
		Bulb Shape	PL-C
Operating and Electrical			
Line Frequency	50 to 60 Hz		
Input Frequency	50 to 60 Hz		
Power Consumption	5 W		

# PL-C/T

## Approval and Application

Energy Saving Product	Yes
Approval Marks	UL certificate RoHS compliance
Energy Consumption kWh/1000 h	- kWh

## Application Conditions


can it be used in closed luminaires	Yes
-------------------------------------	-----

## Product Data

Order product name	5PL-C/LED/13H/840/IF5/P/2P 20/1
--------------------	---------------------------------


Full product name	5PL-C/LED/13H/840/IF5/P/2P 20/1
Order code	532341
Material Nr. (12NC)	929001884804
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677532345
Numerator - Packs per outer box	20
EAN/UPC - Case	50046677532340

## Dimensional drawing




Product	D	D1	A1	A2	A3
5PL-C/LED/13H/840/IF5/P/2P 20/1	1-1/16 inch	1-1/16 inch	3-5/8 inch	4-13/16 inch	5-7/16 inch

## Photometric data




© 2023 Philips Lighting B.V. All rights reserved.

General uniform lighting - 5PL-C/LED/13H/840/IF5/P/2P 20/1




Spectral Power Distribution Colour - 5PL-C/LED/13H/840/IF5/P/2P 20/1

Photometric data




Light Distribution Diagram - 5PL-C/LED/13H/840/IF5/P/2P 20/1


Lifetime




Lumen Maintenance Diagram - 5PL-C/LED/13H/840/IF5/P/2P 20/1



Life Expectancy Diagram - 5PL-C/LED/13H/840/IF5/P/2P 20/1




Life Expectancy Diagram - 5PL-C/LED/13H/840/IF5/P/2P 20/1



Life Expectancy Diagram - 5PL-C/LED/13H/840/IF5/P/2P 20/1

# PL-C/T

## Lifetime



Lumen Maintenance Diagram - 5PL-C/LED/13H/840/IF5/P/2P 20/1

